

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product form : Mixture  
Trade name : PRIMER M80-B  
Product code : M80  
Type of product : Coating  
Product group : Trade product

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### 1.2.1. Relevant identified uses

Intended for general public

###### 1.2.2. Uses advised against

No additional information available

##### 1.3. Details of the supplier of the safety data sheet

AKKİM YAPI KİMYASALLARI SANAYİ ve TİCARET A.Ş.  
Yeşilbayır mahallesi Şimşir sokak No:22  
34555 İSTANBUL - TURKEY  
T +90 2127711371 - F +90 2127713888  
[info@akfixcoating.com](mailto:info@akfixcoating.com), [info@akfix.com](mailto:info@akfix.com) - [www.akfixcoating.com](http://www.akfixcoating.com), [www.akfix.com](http://www.akfix.com)

##### 1.4. Emergency telephone number

Emergency number : +90 2127711371 (9:00 am - 17:00 pm GMT+2)

| Country        | Organisation/Company  | Address   | Emergency number  | Comment |
|----------------|---|---|---|---------|
| United Kingdom | National Poisons Information Service (Newcastle Centre)<br>Regional Drugs and Therapeutics Centre | Claremont Place<br>Newcastle-upon-Tyne<br>NE1 4LP Newcastle | 0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours) |         |

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixture/Sol

|   |      |                    |
|---|------|--------------------|
| Acute toxicity (oral), Category 4                                 | H302 | Calculation method |
| Acute toxicity (dermal), Category 4                               | H312 | Calculation method |
| Acute toxicity (inhalation:vapour) Category 4                     | H332 | Calculation method |
| Skin corrosion/irritation, Category 1B                            | H314 | Calculation method |
| Sensitisation — Skin, Category 1                                  | H317 | Calculation method |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 | Calculation method |

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Harmful in contact with skin. Harmful if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

##### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) : Danger

Hazardous ingredients : 3-aminomethyl-3,5,5-trimethylcyclohexylamine; benzyl alcohol; 1,3-Benzenedimethanamine;

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

|                                    |  |
|------------------------------------|--|
| Hazard statements (CLP)            | Benzoic acid, 2-hydroxy-<br>: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled<br>H314 - Causes severe skin burns and eye damage<br>H317 - May cause an allergic skin reaction<br>H412 - Harmful to aquatic life with long lasting effects  |
| Precautionary statements (CLP)     | : P102 - Keep out of reach of children<br>P260 - Do not breathe fume, gas, mist, vapours<br>P280 - Wear eye protection, face protection, protective clothing, protective gloves<br>P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting<br>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower<br>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing<br>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing<br>P312 - Call a POISON CENTER if you feel unwell<br>P405 - Store locked up<br>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation |
| Security closing plug for children | : Applicable   |
| Tactile warning                    | : Applicable   |

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

| Name   | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|--|--|---------|---|
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine | (CAS No) 2855-13-2<br>(EC no) 220-666-8<br>(EC index no) 612-067-00-9<br>(REACH-no) 01-2119514687-32 | 25 - 50 | Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Oral), H302<br>Skin Corr. 1B, H314<br>Skin Sens. 1, H317<br>Aquatic Chronic 3, H412      |
| benzyl alcohol                               | (CAS No) 100-51-6<br>(EC no) 202-859-9<br>(EC index no) 603-057-00-5<br>(REACH-no) 01-2119492630-38  | 25 - 50 | Acute Tox. 4 (Inhalation), H332<br>Acute Tox. 4 (Oral), H302  |
| 1,3-Benzenedimethanamine                     | (CAS No) 1477-55-0<br>(REACH-no) 01-2119480150-50  | < 10    | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation), H332<br>Skin Corr. 1B, H314<br>Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412 |
| Benzoic acid, 2-hydroxy-                     | (CAS No) 69-72-7<br>(EC no) 200-712-3<br>(REACH-no) 01-2119486984-17                                 | < 10    | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318   |

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Call a physician immediately.  |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.                                |
| First-aid measures after skin contact | : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.                                 |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Burns. May cause an allergic skin reaction.  
Symptoms/injuries after eye contact : Serious damage to eyes.  
Symptoms/injuries after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin, eyes and clothing. Do not breathe dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| PRIMER M80-B   |                              |                     |
|----------------|------------------------------|---------------------|
| Bulgaria       | Local name                   | Бензилналкохол      |
| Bulgaria       | OEL TWA (mg/m <sup>3</sup> ) | 5 mg/m <sup>3</sup> |
| Czech Republic | Local name                   | Benzylalkohol       |

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

|   |   |  |
|---|---|--|
| Czech Republic                              | Expoziční limity (PEL) (mg/m <sup>3</sup> )   | 40 mg/m <sup>3</sup>                         |
| Czech Republic                              | Expoziční limity (PEL) (ppm)                  | 9 ppm  |
| Czech Republic                              | Expoziční limity (NPK-P) (mg/m <sup>3</sup> ) | 80 mg/m <sup>3</sup>                         |
| Czech Republic                              | Expoziční limity (NPK-P) (ppm)                | 18.1 ppm                                     |
| Finland                                     | Local name                                    | Bentsyylialkoholi                            |
| Finland                                     | HTP-arvo (8h) (mg/m <sup>3</sup> )            | 45 mg/m <sup>3</sup>                         |
| Finland                                     | HTP-arvo (8h) (ppm)                           | 10 ppm                                       |
| Latvia                                      | Local name                                    | Benzilspirts (fenilmetanols, fenilkarbinols) |
| Latvia                                      | OEL TWA (mg/m <sup>3</sup> )                  | 5 mg/m <sup>3</sup>                          |
| Lithuania                                   | Local name                                    | Benzilo alkoholis                            |
| Lithuania                                   | IPRV (mg/m <sup>3</sup> )                     | 5 mg/m <sup>3</sup>                          |
| Lithuania                                   | Remark (LT)                                   | O Ū  |
| Poland                                      | Local name                                    | Fenylometanol                                |
| Poland                                      | NDS (mg/m <sup>3</sup> )                      | 240 mg/m <sup>3</sup>                        |
| <b>1,3-Benzenedimethanamine (1477-55-0)</b> |   |  |
| Japan                                       | Exposure limits (ACGIH)                       | TWA -,STEL C 0.1 mg/m <sup>3</sup> (Skin)    |

#### 8.2. Exposure controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Hand protection                  | : Protective gloves                            |
| Eye protection                   | : Safety glasses                               |
| Skin and body protection         | : Wear suitable protective clothing            |
| Respiratory protection           | : Wear respiratory protection                  |
| Environmental exposure controls  | : Avoid release to the environment.            |

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |                          |
|---|--------------------------|
| Physical state                              | : Liquid                 |
| Appearance                                  | : Colorless liquid.      |
| Colour                                      | : Colourless.            |
| Odour                                       | : Amine-like.            |
| Odour threshold                             | : No data available      |
| pH  | : 8 - 11                 |
| Relative evaporation rate (butyl acetate=1) | : No data available      |
| Melting point                               | : Not applicable         |
| Freezing point                              | : No data available      |
| Boiling point                               | : < 200 °C               |
| Flash point                                 | : 110 °C                 |
| Auto-ignition temperature                   | : No data available      |
| Decomposition temperature                   | : No data available      |
| Flammability (solid, gas)                   | : Not applicable         |
| Vapour pressure                             | : < 5 hPa                |
| Relative vapour density at 20 °C            | : No data available      |
| Relative density                            | : No data available      |
| Density                                     | : 1.05 g/cm <sup>3</sup> |
| Solubility                                  | : No data available      |
| Log Pow                                     | : No data available      |
| Viscosity, kinematic                        | : No data available      |

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

|                      |                     |
|----------------------|---------------------|
| Viscosity, dynamic   | : 300 mPa.s         |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits     | : No data available |

#### 9.2. Other information

VOC content : 407 g/l

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:vapour: Harmful if inhaled.

|                   |                           |
|-------------------|---------------------------|
| ATE CLP (oral)    | 500.000 mg/kg bodyweight  |
| ATE CLP (dermal)  | 1981.982 mg/kg bodyweight |
| ATE CLP (vapours) | 18.333 mg/l/4h            |

#### 1,3-Benzenedimethanamine (1477-55-0)

|   |             |
|---|-------------|
| LD50 oral                                 | 660 mg/kg   |
| LD50 dermal                               | 2000 mg/kg  |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 0.8 mg/l/4h |

#### Benzoic acid, 2-hydroxy- (69-72-7)

|           |           |
|-----------|-----------|
| LD50 oral | 891 mg/kg |
|-----------|-----------|

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 8 - 11

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 8 - 11

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

|  |                  |
|--|------------------|
| Reproductive toxicity                            | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

#### PRIMER M80-B

|                      |                                 |
|----------------------|---------------------------------|
| Viscosity, kinematic | 285.71428571 mm <sup>2</sup> /s |
|----------------------|---------------------------------|

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

##### 1,3-Benzenedimethanamine (1477-55-0)

|                        |          |
|------------------------|----------|
| LC50 fish 1            | 75 mg/l  |
| EC50 Daphnia 1         | 15 mg/l  |
| NOEC chronic crustacea | 4.7 mg/l |

##### Benzoic acid, 2-hydroxy- (69-72-7)

|                    |          |
|--------------------|----------|
| LC50 fish 1        | 100 mg/l |
| ErC50 (algae)      | 65 mg/l  |
| NOEC chronic algae | 31 mg/l  |

##### 12.2. Persistence and degradability

No additional information available

##### 12.3. Bioaccumulative potential

No additional information available

##### 12.4. Mobility in soil

No additional information available

##### 12.5. Results of PBT and vPvB assessment

No additional information available

##### 12.6. Other adverse effects

No additional information available

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

##### 14.1. UN number

|               |        |
|---------------|--------|
| UN-No. (ADR)  | : 2735 |
| UN-No. (IMDG) | : 2735 |
| UN-No. (IATA) | : 2735 |
| UN-No. (ADN)  | : 2735 |
| UN-No. (RID)  | : 2735 |

##### 14.2. UN proper shipping name

|                                       |  |
|---------------------------------------|--|
| Proper Shipping Name (ADR)            | : AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S.                      |
| Proper Shipping Name (IMDG)           | : POLYAMINES, LIQUID, CORROSIVE, N.O.S.  |
| Proper Shipping Name (IATA)           | : Polyamines, liquid, corrosive, n.o.s.  |
| Proper Shipping Name (ADN)            | : POLYAMINES, LIQUID, CORROSIVE, N.O.S.  |
| Proper Shipping Name (RID)            | : POLYAMINES, LIQUID, CORROSIVE, N.O.S.  |
| Transport document description (ADR)  | : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III, (E) |
| Transport document description (IMDG) | : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III  |
| Transport document description (IATA) | : UN 2735 Polyamines, liquid, corrosive, n.o.s., 8, III  |
| Transport document description (ADN)  | : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III  |
| Transport document description (RID)  | : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S., 8, III  |

##### 14.3. Transport hazard class(es)

###### ADR

Transport hazard class(es) (ADR) : 8

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

Danger labels (ADR) : 8



#### IMDG

Transport hazard class(es) (IMDG) : 8

Danger labels (IMDG) : 8



#### IATA

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



#### ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



#### RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



#### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:


Version: 0.0

#### 14.5. Environmental hazards

|                               |  |
|-------------------------------|--|
| Dangerous for the environment | : No                                     |
| Marine pollutant              | : No                                     |
| Other information             | : No supplementary information available |

#### 14.6. Special precautions for user

##### - Overland transport

|   |   |
|---|---|
| Classification code (ADR)                                 | : C7  |
| Special provisions (ADR)                                  | : 274   |
| Limited quantities (ADR)                                  | : 5I  |
| Excepted quantities (ADR)                                 | : E1  |
| Packing instructions (ADR)                                | : P001, IBC03, LP01, R001   |
| Mixed packing provisions (ADR)                            | : MP19  |
| Portable tank and bulk container instructions (ADR)       | : T7  |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP28   |
| Tank code (ADR)   | : L4BN  |
| Vehicle for tank carriage                                 | : AT  |
| Transport category (ADR)                                  | : 3   |
| Special provisions for carriage - Packages (ADR)          | : V12   |
| Hazard identification number (Kemler No.)                 | : 80  |
| Orange plates   | :  |
| Tunnel restriction code (ADR)                             | : E   |
| EAC code  | : 2X  |
| APP code  | : B   |

##### - Transport by sea

|                                    |  |
|------------------------------------|--|
| Special provisions (IMDG)          | : 223, 274   |
| Limited quantities (IMDG)          | : 5 L  |
| Excepted quantities (IMDG)         | : E1   |
| Packing instructions (IMDG)        | : P001, LP01   |
| IBC packing instructions (IMDG)    | : IBC03  |
| Tank instructions (IMDG)           | : T7   |
| Tank special provisions (IMDG)     | : TP1, TP28  |
| EmS-No. (Fire)                     | : F-A  |
| EmS-No. (Spillage)                 | : S-B  |
| Stowage category (IMDG)            | : A  |
| Segregation (IMDG)                 | : SG35   |
| Properties and observations (IMDG) | : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes. |
| MFAG-No                            | : 153  |

##### - Air transport

|  |        |
|--|--------|
| PCA Excepted quantities (IATA)               | : E1   |
| PCA Limited quantities (IATA)                | : Y841 |
| PCA limited quantity max net quantity (IATA) | : 1L   |



## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

|                                 |       |
|---------------------------------|-------|
| PCA packing instructions (IATA) | : 852 |
| PCA max net quantity (IATA)     | : 5L  |
| CAO packing instructions (IATA) | : 856 |
| CAO max net quantity (IATA)     | : 60L |
| Special provisions (IATA)       | : A3  |
| ERG code (IATA)                 | : 8L  |

#### - Inland waterway transport

|                                   |          |
|-----------------------------------|----------|
| Classification code (ADN)         | : C7     |
| Special provisions (ADN)          | : 274    |
| Limited quantities (ADN)          | : 5 L    |
| Excepted quantities (ADN)         | : E1     |
| Carriage permitted (ADN)          | : T      |
| Equipment required (ADN)          | : PP, EP |
| Number of blue cones/lights (ADN) | : 0      |

#### - Rail transport

|   |                           |
|---|---------------------------|
| Classification code (RID)                                 | : C7                      |
| Special provisions (RID)                                  | : 274                     |
| Limited quantities (RID)                                  | : 5L                      |
| Excepted quantities (RID)                                 | : E1                      |
| Packing instructions (RID)                                | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID)                            | : MP19                    |
| Portable tank and bulk container instructions (RID)       | : T7                      |
| Portable tank and bulk container special provisions (RID) | : TP1, TP28               |
| Tank codes for RID tanks (RID)                            | : L4BN                    |
| Transport category (RID)                                  | : 3                       |
| Special provisions for carriage – Packages (RID)          | : W12                     |
| Colis express (express parcels) (RID)                     | : CE8                     |
| Hazard identification number (RID)                        | : 80                      |

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

VOC content : 407 g/l

##### 15.1.2. National regulations

###### Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazard to waters (Classification according to VwVwS, Annex 4)  
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

###### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

## PRIMER M80-B

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 3/25/2016

Revision date:

Supersedes:

Version: 0.0

|   |                                     |
|---|-------------------------------------|
| SZW-lijst van mutagene stoffen  | : None of the components are listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding   | : None of the components are listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid | : None of the components are listed |
| NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling   | : None of the components are listed |

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### SECTION 16: Other information

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Acute Tox. 4 (Dermal)               | Acute toxicity (dermal), Category 4                               |
| Acute Tox. 4 (Inhalation)           | Acute toxicity (inhal.), Category 4                               |
| Acute Tox. 4 (Inhalation:vapour)    | Acute toxicity (inhalation:vapour) Category 4                     |
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |
| Aquatic Chronic 3                   | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                     |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1B                            |
| Skin Sens. 1                        | Sensitisation — Skin, Category 1                                  |
| Skin Sens. 1B                       | Sensitisation — Skin, category 1B                                 |
| H302                                | Harmful if swallowed  |
| H312                                | Harmful in contact with skin                                      |
| H314                                | Causes severe skin burns and eye damage                           |
| H317                                | May cause an allergic skin reaction                               |
| H318                                | Causes serious eye damage   |
| H332                                | Harmful if inhaled  |
| H412                                | Harmful to aquatic life with long lasting effects                 |

SDS EU AKFIXCOATING

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*